



(ii) Material Required for one Pole:-



Materials:-

- | | |
|---|----------------------|
| * Pole wooden 10 m long - 1 | * Phase plate - 1 |
| * Stone pad - 1 | * Danger board - 1 |
| * Pole foundation - 1 | * Barbed wire - 2kg. |
| * Pole Cap - 1 | |
| * m.s. channel (100x50x10mm x 1.5m) - 1 | |
| * D. Clamp - 1 | |
| * 9 Bolt - 1 | |
| * 11 KV PIN insulator - 3 | |
| * Binding wire - 1/2 Kg per pole | |
| * Painting of pole - 1 | |


(iii) Material Required for H. Pole Not Pole mounting:-



[H Pole NOT POLE MOUNTING.]

Material required/For H Pole not Pole mounting:-

* Rail Pole 11.5 m long	-	2
* Stone Pad	-	2
* Foundation	-	2
* Mild steel channel. (100x50x10 mm x 2.65 m long)	-	1
* Stay complete	-	2
* Different Size of Nut bolt	-	2 Kg
* 9 bolt	-	2 no.
* 11 KV Disc Insulator	-	6 no.
* Pilot Insulator	-	3 no.
* Jumper wire	-	2 kg
* Binding wire	-	1 kg
* Phase Plate	-	1 no
* Danger Board	-	1 no.
* Barbed wire	-	5 kg
* Painting of H. Pole.	-	



(Disc and Pilot Insulator in H Pole Not Pole mounting)

- * लम्बी H.T. Line में प्रत्येक 1 मील (1610m) दूरी के पश्चात एक H Pole (Not pole mounting) का प्रयोग किया जाता है।
- * नदी को Cross करते समय भी इसी प्रकार के Pole का Use किया जाता है। यदि नदी अधिक चौड़ी है, तो नदी के मध्य में भी Not pole mounting Type H Pole ही Use होता है।
- * प्रत्येक H Type Pole की Earthing आवश्यक होती है।